

POME FRUITS

(Amines, salts and acid only)

Crop Stage	Maximum Application Rate per Acre	Directions and Timing
Postemergence	2.0 lbs. acid equivalent	For control of weeds on the orchard floor. For best results, apply when weeds are small and actively growing.

RESTRICTIONS AND LIMITATIONS FOR USE IN POME FRUITS

PHI: Do not harvest fruit within 14 days of application. Max seasonal rate: 4.0 lbs. acid equivalent per acre. Do not cut orchard floor forage for hay within 7 days of application. Allow at least 75 days between applications. Do not make more than 2 applications per year.

Chemical chart for Pome Fruits, Stone Fruits, Nut Orchards, Pistachios, and Filberts.

EPA Chemical Number	Chemical	Formulation	Reentry Interval	Application Method	Application Equipment
030001	Acid	WP	48 hr.	Broadcast Ground or Spot treatment	Ground Boom Sprayers Hand held nozzle sprayer
030019	DMA	SC/L SC/S	48 hr.	Broadcast Ground or Spot treatment	Ground Boom Sprayers Hand held nozzle sprayer
030035	TIPA	SC/L	48 hr.	Broadcast Ground or Spot treatment	Ground Boom Sprayers Hand held nozzle sprayer
030025	IPA	SC/L	48 hr.	Broadcast Ground or Spot treatment	Ground Boom Sprayers Hand held nozzle sprayer
030016	DEA	SC/L	48 hr.	Broadcast Ground or Spot treatment	Ground Boom Sprayers Hand held nozzle sprayer
030004	Na	SC/L SC/S	12 hr.	Broadcast Ground or Spot treatment	Ground Boom Sprayers Hand held nozzle sprayer